J. Auton. Pharmacol. (1992), **12,** 457–460

Author Index

Abelli L., Nappi F., Perretti F., Maggi C.A., Manzini S. & Giachetti A.: Microvascular leakage induced by substance P in rat urinary bladder: involvement of cyclo-oxygenase metabolites of arachidonic acid, 269
Adham N., *see* Eglen R.M.
Alabada J.A., *see* Miranda F.J.
Alborch E., *see* Miranda F.J.
Alder-Graschinsky E., *see* Lorenzo P.S.
Alkadhi K.A. & Hogan Y.H.: Effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydroxypyridine (MPTP) on ganglionic transmission, 15
Alvarez C., *see* Miranda F.J.
Aperia A., *see* Fryckstedt J.
Armstrong J.M., *see* Chillon J.M.
Atkinson J., *see* Chillon J.M.
Austin C.E. & Chess-Williams R.: Transient elevation of cardiac β-adrenoceptor responsiveness and receptor number in streptozotocin-diabetic rat, 205

Ballati L., Maggi C.A. & Evangelista S.: Effects of ruthenium red on the bronchoconstriction induced by capsaicin and by selective tachykinin receptor agonists in anaesthetized guinea-pig, 369
Benedito S., *see* Rivera L.
Bernadini M.C., *see* Blandizzi C.
Bishop B.E. & Doggrell S.A.: Effects of potassium channel openers and calcium channel blockers on the force responses of the electrically driven rat right ventricle strip, 5
Blandizzi C., Bernadini M.C., Natale G., Matinotti E. & Del Tacca M.: Peripheral 2-hydroxy-saclofen-sensitive GABA-B receptors mediate both vagal-dependent and vagal-independent acid secretory responses in rats, 149
Blomquist T.M. & Priola D.V.: Tachyphylaxis of the intrinsic cardiac nerves to nicotine: effects on A-V nodal conduction, 51
Borkowski K.R., Gros R. & Schneider H.: Vascular β-adrenoceptor-mediated responses in hypertension and ageing in rats, 389
Boucher M., *see* Chassaing C.
Borges N., Martel F., Branco D. & Osswald W.: Effects of nebivolol steroisomers on the action of adrenaline on blood pressure, heart rate and blood levels of noradrenaline and DOPEG, 429
Branco D., *see* Borges N.
Breschi M.C., *see* Nieri P.
Breysse C., *see* Chassaing C.
Brown M.D.: Chronotropic and inotropic responses to adrenoceptor agonists *in vitro* after chronic dobutamine treatment in the rabbit, 117
Brune M.E.: *see* Lee J.Y.

Chassaing C., Boucher M., Breysse C. & Duchene-Marullaz P.: Contribution of vagal blockade to the tachycardia induced by the antimuscarinic agents atropine and pirenzepine, 359
Chatelain P., *see* Lawson K.
Chess-Williams R., *see* Austin C.E.
Chillon J.M., Gellotte M., Ferrandon P., Lartaud I., Martin D., Armstrong J.M., Atkinson J. & Hicks P.E.: Haemodynamic effects of the calcium facilitator Bay K-8644 in rats following vascular calcium overload, 311
Cohen S., *see* Rubinstein R.
Coy D.H., *see* Maggi C.A.

Daffonchio L., *see* Nieri P.
DeBernardis J.F., *see* Lee J.Y.

Degeorge F., *see* John G.W.
Del Tacca M., *see* Blandizzi C.
Demichel P., *see* Roquebert J.
Doggrell S.A.: Further analysis of the inhibitory effects of dihydroergotamine, cyproheptadine and ketanserin on the responses of the rat aorta to 5-hydroxytryptamine, 223
see also Bishop B.E.
Draper A.J., Kingsbury M.P., Redfern P.H. & Todd M.H.: Effects of chronic administration of atenolol on the *in situ* perfused mesentery of normotensive and hypertensive rats, 89
Duchene-Marullaz P., *see* Chassaing C.

Eglen R.M., Adham N. & Whiting R.L.: Acute desensitization of muscarinic receptors in the isolated guinea-pig ileal longitudinal muscle, 137
Eglen R.M., Perkins L.A., Walsh L.K.M. & Whiting R.L.: Agonist action of indole derivatives at 5-$HT_{1\text{-like}}$, 5-HT_2, 5-HT_3 and 5-HT_4 receptors *in vitro*, 321
Eisner G.M., *see* Seikaly M.G.
Evangelista S., *see* Ballati L.

Ferrandon P., *see* Chillon J.M.
Fischer G., *see* Grohs J.G.
Fryckstedt J., Meister B. & Aperia A.: Control of electrolyte transport in the kidney through a dopamine- and cAMP-regulated phosphoprotein, DARPP-32, 183

Garcia-Sacristan A., *see* Rivera L.
Gellotte M., *see* Chillon J.M.
Geraci A., *see* Mule F.
Giachetti A., *see* Abelli L.
Giuliani S., *see* Maggi C.A.
Graham A., *see* Sneddon P.
Grana E., *see* Lucchelli A.
Grohs J.G., Huber S., Fischer G. & Raberger G.: Influence of α_1-adrenoceptor blockade and/or 5-HT_{1A} agonism on blood pressure and heart rate at rest and during exercise in hypertensive dogs, 157
Gros R., *see* Borkowski K.R.

Hariton C.: Biphasic dose-dependent effects of dopamine and involvement of dopamine autoreceptors on intra-ocular pressure in the rabbit, 335
Henriks M.G.C., Pfaffendorf M. & van Zweiten P.A.: Characterization of the muscarinic receptor subtype mediating vasodilation in the rat perfused mesenteric vascular bed preparation, 411
Hernandez M., *see* Rivera L.
Hicks P., *see* Chillon J.M.
Hogan Y.H., *see* Alkadhi K.A.
Honda K., *see* Shibasaki M.
Huber S., *see* Grohs J.G.

Inagaki O., *see* Shibasaki M.

John G.W., Degeorge F. & Massingham R.: Acetylcholine-induced relaxation of the rabbit aorta is preload-independent but markedly dependent upon the degree of excitatory agonist-induced tone, 253
Jose P.A., *see* Seikaly M.G.
Julu P.O.O.: A linear scale for measuring vagal tone in man, 109

Kingsbury M.P., *see* Draper A.J.
Keis S., *see* Mandrek K.

Laorden M.L., *see* Micol J.A.
Lartaud I., *see* Chillon J.M.
Lawson K. & Chatelain P.: Effects of the divalent cations nickel and cadmium on contractions of rat aorta to endothelin-1, 237
Lee J.Y., Brune M.E., Warner R.B. & DeBernardis J.F.: Orthostatic hypotension occurs following α-adrenoceptor blockade in chronic prazosin-pretreated conscious spontaneously hypertensive rats, 191
Lorenzo P.S. & Alder-Graschinsky E.: Gangliosides prevent the dimethyl sulphoxide-induced increases in [^{3}H]-noradrenaline release from rat isolated stria, 349
Lucchelli A., Grana E. & Santagostino-Barbone M.G.: Influence of lithium pretreatment and of cooling on the responsiveness of the rat isolated jejenum and urinary bladder to muscarinic agonists, 61

Machaly M., *see* Sneddon P.
Maggi C.A., Coy D.H. & Giuliani S.: Effect of [D-Phe^6] bombesin-induced contractions in the guinea-pig and rat isolated bladder, 215
see also Abelli L.
see also Ballati L.

Mallard N.J., Marshall R.W. & Spriggs T.L.B.: Neurotransmitter feedback is not important in modulating the noradrenergic component of responses of rat vas deferens to twin pulse electrical field stimulation, 165
Mandrek K. & Kreis S.: Regional differentiation of gastric and of pyloric smooth muscle in the pig: mechanical responses to acetylchloline, histamine, substance P, noradrenaline and adrenaline, 37
Manzini S., *see* Abelli L.
Maroto R., Moratinos J. & Sancho C.: Functional involvement of α_1- and α_2-adrenoceptors in ^{86}Rb efflux from liver slices and lipolysis in guinea-pig isolated adipocytes, 277
Marshall R.W., *see* Mallard N.J.
Martel F., *see* Borges N.
Martin J.M., *see* Chillon J.M.
Martinotti E., *see* Blandizzi C.
see also Nieri P.
Massingham R., *see* John G.W.
Mathy M.-J., *see* Schwietert H.R.
Meister B., *see* Fryckstedt J.
Micol J.A. & Laorden M.L.: Interaction of U-50, 488H with calcium channel agonists and antagonists in different cardiac tissues, 437
Miranda F.J., Torregosa G., Salom J.B., Alabadi J.A., Alvarez C. & Alborch E.: Direct and neuromodulatory effects of histamine on isolated goat cerebral arteries, 25
Moran A., *see* Roquebert J.
Moratinos J., *see* Maroto R.
Muir T.C., *see* Guild S.B.
Mule F., Geraci A., Serio R. & Posterino A.: On the peptidergic hypothesis for non-adrenergic non-cholinergic innervation in the duodenum, 81

Nappi F., *see* Abelli L.
Natale G., *see* Blandizzi C.
Nieri P., Daffonchio L., Omini C., Martinotti E. & Breschi M.C.: Changes in airway reactivity to exogenous and endogenous acetylcholine and substance P after anaphylactic bronchoconstriction in anaesthetized guinea-pig, 403

Omini C., *see* Nieri P.
Osswald W., *see* Borges N.

Pennefather J.N., *see* Ventura S.
Perkins L.A., *see* Eglen R.M.
Perretti F., *see* Abelli L.
Pfaffendorf M., *see* Henriks M.G.C.
see also Schwietert H.R.
Phelan E.L., *see* Smyth D.D.
Posterino A., *see* Mule F.
Prieto D., *see* Rivera L.
Priola D.V., *see* Blomquist T.M.

Raberger G., *see* Grohs J.G.
Redfern P.H., *see* Draper A.J.
Rivera L., Hernandez M., Benedito S., Prieto D. & Garcia-Sacristan A.: Mediation of contraction by cholinergic muscarinic receptors in the ureterovesical junction, 175
Roquebert J., Moran A. & Demichel P.: Effect of quinpirole on neurogenic vasoconstriction in the *in situ* autoperfused hindquarters and renal vascular beds of the rat, 291
Rubinstein R. & Cohen S.: Lack of agonistic activity in McN-A343 may be circumstantial, 1
Ruff G., *see* Rump L.C.
Rump L.C., Wolk V., Ruff G. & Schollmeyer P.: Activation of α_1- and α_2-adrenoceptors inhibits noradrenaline release in rabbit renal arteries: effects of pertussis toxin and N-ethylamaleimide, 97

Salom J.B., *see* Miranda F.J.
Sancho C., *see* Maroto R.
Santagostino-Barbone M.G., *see* Lucchelli A.
Schneider H., *see* Borkowski K.R.
Schollmeyer P., *see* Rump L.C.
Schwarze J., *see* Guild S.B.
Schwietert H.R., Mathy M.-J., Wilhelm D., Wilffert B., Pfaffendorf M. & van Zwieten P.A.: α_1-adrenoceptor-mediated Ca^{2+}-entry from the extracellular fluid and Ca^{2+}-release from intracellular stores: no role for $\alpha_{1A,\ B}$-adrenoceptor subtypes in the pithed rat, 125
Seikaly M.G., Eisner G.M. & Jose P.A.: Contrasting effect of substance P on renal function and dopamine excretion in hydropaenic and volume expanded dogs, 377
Serio R., *see* Mule F.

Shibasaki M., Sudoh K., Inagaki O., Uchida W. & Honda K.: Effect of the optical isomers of YM-12617 on increased intraurethral pressure induced by phenylephrine in anaesthetized dogs, 263
Smyth D.D., Phelan E.L. & Stanko C.: Renal α_2-adrenoreceptors in New Zealand genetically hypertensive rats, 73
Sneddon P. & Graham A.: Role of nitric oxide in autonomic innervation of smooth muscle, 445
Sneddon P. & Machaly M.: Regional variation in purinergic and adrenergic responses in isolated vas deferens of rat, rabbit and guinea-pig, 421
Spriggs T.L.B., *see* Mallard N.J.
Stanko C., *see* Smyth D.D.
Sudoh K., *see* Shibasaki M.
Todd M.H., *see* Draper A.J.
Torregosa G., *see* Miranda F.J.

Uchida W., *see* Shibasaki M.

van Zweiten P.A., *see* Henriks M.G.C. *see also* Schwietert H.R.
Ventura S. & Pennefather J.N.: Inhibition of field stimulation-induced contractions of rat cauda epididymis by purioceptor agonists but not by adrenoceptor agonists, 299

Walsh L.K.M., *see* Eglen R.M.
Warner R.B., *see* Lee J.Y.
Whiting R.L., *see* Eglen R.M.
Wilffert B., *see* Schwiertert H.R.
Wilhelm D., *see* Schwietert H.R.
Volk V., *see* Rump L.C.

J. Auton. Pharmacol. (1992), **12,** 461–464

Subject Index

Acetylcholine:
airway reactivity, 403
aorta, relaxation, 253
regional response, pig stomach smooth muscle, 37
Adrenaline, regional response, pig stomach smooth muscle, 37
Adrenergic:
non-, peptidergic hypothesis, duodenum rat, 81
response, vas deferens, 421
Adrenoceptor:
agonist, 117, 299
blockade, hypertensive, dog, 157; rat, 191
kidney, hypertensive rat, 73
Rb efflux from liver, guinea-pig, 277
Adrenoceptor, responses in:
ageing in rats, 389
heart, rat, 205
hypertension in rats, 389
noradrenaline release inhibition, 97
Ageing, adrenoceptor responses, 389
Agonist:
activity, McN-A343, guinea-pig, 1
adrenoceptor, chronotropic response, 117
calcium channel, heart, 437
calcium exchange mediation, 125
5-hydroxytryptamine, 157
indole derivatives at 5-HT receptors, 321
muscarinic, rat jejunum, 61
tachykinin receptor, 369
tone, excitatory, aorta, 253
Airway, reactivity, 403
AMP, c. electrolyte transport, kidney, 183
Anaphylactic bronchoconstriction, 403
Antagonist:
calcium channel, heart, 437
receptor, bombesin methylester, 215
Antimuscarinic agents, tachycardia, vagal blockade, 359
Aorta:
acetylcholine induced relaxation, 253
contraction, endothelin-1, 237
5-HT response inhibition, 223
Arachidonic acid, microvascular leakage, 269
Artery:
adrenoceptors, noradrenaline release, 97
contraction, co-transmitters, 245
neuromodulation of histamine, 25
Atenolol, perfused mesentery, hypertensive rat, 89
Atropine, tachycardia, vagal blockade, 359
ATP, methylene, artery contraction, 245
Autonomic, innervation, smooth muscle, nitric oxide, 445
Autoreceptors, dopamine, 335
A-V node, conduction, nicotine tachyphylaxis, 51

Bay K-8644, haemodynamic effect, 311
Bladder:
bombesin induced contractions, 215
muscarinic agonists, 61
substance P, microvascular leakage, 269
Blockade:
adrenoceptor, hypertensive, dog, 157; rat, 191
vagal, antimuscarinic agents, 359
Blocker, calcium channel, rat ventricle, 5
Blood:
DOPEG, 429
leakage, microvascular, 269
pressure, 157, 429
noradrenaline, 429
Bombesin, methylester, rat bladder contraction, 215
Brain, arteries, neuromodulation, 25
Bronchoconstriction:
anaphylactic, 403
ruthenium red effect, 369

Cadmium, rat aorta, endothelin-1, 237
Calcium:
channel blockers, rat ventricle, 15
entry, adrenoceptor mediation, 125
facilitator, Bay K-8644, 311

overload, haemodynamic effects, 311
release, adrenoceptor mediation, 125
Capsaicin, bronchoconstriction, 369
Cations, rat aorta, endothelin-1, 237
Cerebral artery, neuromodulation of histamine, 25
Cholinergic, non-, peptidergic hypothesis, duodenum rat, 81
Cholinergic, muscarinic receptors, uterovesicular junction, 175
Chronotropic, response to adrenoceptor agonists, 117
Contraction:
aorta, endothelin-1, 237
bladder, bombesin induced, 215
inhibition, purinoceptor agonist, 299
uterovesical junction, cholinergic muscarinic receptors, 175
Control, electrolyte transport, kidney, 183
Cooling, rat bladder response to muscarinic agonists, 61
Cyclo-oxygenase, microvascular leakage, 269
Cyproheptadine, inhibition, 5-HT, rat aorta, 223

DARPP-32, electrolyte transport, kidney, 183
Diabetes, streptozotocin adrenoceptors, 205
Dihydroergotamine, inhibition, 5-HT, rat aorta, 223
Dobutamine, adrenoceptor agonist, rabbit, 117
Dog:
adrenoceptor blockade, hypertensive dog, 157
antimuscarinic agents, tachycardia, 359
HT agonism, hypertensive dog, 157
intra-urethral pressure, phenylephrine, YM-12617, 263
nebivolol, 429
node conduction, nicotine tachyphylaxis, 51
substance P, renal function, 377
Dopamine:
autoreceptors, 335
electrolyte transport, kidney, 183
excretion, substance P, 377
DOPEG, nebivolol, 429
Dose, biphasic effects of dopamine, 335
Duodenum, innervation, peptidergic hypothesis, 81

Electrolyte, transport, kidney, 183
Endothelin-1, rat aorta contraction, 237
Epididymis, contraction inhibition, purinoceptor agonist, 299
Ethylmaleimide, N, rat kidney artery, noradrenaline, 97
Eye, pressure, dopamine, 335

Feedback, neurotransmitter, 165

GABA-B receptors, acid secretion, rat, 149
Ganglionic, transmission, MPTP, 15
Gangliosides, noradrenaline release, rat atria, 349
Goat, neuromodulation of histamine, 25
Guinea-pig:
adrenoceptors in Rb efflux from liver, 277
agonist activity, McN-A343, 1
airway reactivity, 403
bladder contraction, bombesin, 215
bronchoconstriction, 369
5-HT receptors, 321
muscarinic receptors, ileal longitudinal muscle, 137
vas deferens, 421

Haemodynamic effect, Bay K-8644, 311
Heart:
adrenoceptors, 205
A-V node conduction, nicotine tachyphylaxis, 51
calcium channel blockers, rat ventricle, 5
potassium channel openers, rat ventricle, 5
rate, 157, 429
tissue, calcium channel agonists, 437
Histamine:
neuromodulation, goat cerebral arteries, 25
regional response, pig stomach smooth muscle, 37
Hydropaenic, dogs, renal function, substance P, 377
Hydroxytryptamine:
agonism, 157
receptors, indole derivative agonist action, 321
Hypertension:
adrenoceptor blockade, 157
adrenoceptor responses, 191, 389
atenolol, mesentery perfusion, 89
genetic, adrenoceptors, rat kidney, 73
Hypotension: orthostatic, adrenoceptor blockade, 191

Ilium, longitudinal muscle, muscarinic receptors, 137
Indole derivatives, agonist action at 5-HT receptors, 321
Inhibition:
  cyproheptadine, rat aorta to 5-HT, 223
  dihyroergotamine, rat aorta to 5-HT, 223
  ketanserin, rat aorta to 5-HT, 223
  purinoceptor agonist, 299
Innervation, duodenum, peptidergic hypothesis, 81
Inotropic, response to adrenoceptor agonists, 117
Intracellular, stores, calcium entry/release, 125
Isomer, optical, YM-12617, 263

Jejunum, muscarinic agonists, 61

Ketanserin, inhibition, 5-HT, rat aorta, 223
Kidney:
  adrenoceptors, hypertensive rat, 73
  artery, noradrenaline release inhibition, 97
  electrolyte transport, 183
  quinpirole, vasoconstriction, 291
  substance P, dopamine excretion, 377

Lipolysis, adrenoceptors, 277
Lithium, pretreatment, muscarinic agonists, 61
Liver, guinea-pig, adrenoceptors in Rb efflux, 277

McN-A343, agonist activity, 1
Mesentery:
  atenolol, chronic administration, 89
  vascular bed, muscarinic receptor, 411
Methylene ATP, artery contraction, 245
Modulation, noradrenergic, rat vas deferens, 165
MPTP, neurotoxin, rat ganglionic transmission, 15
Muscarinic
  agonist, rat jejenum, 61
  cholinergic muscarinic receptors, 175
  receptor, acute desensitization, 137
  receptor, mediating vasodilation, 411
Muscle, smooth:
  ileal, longitudinal, muscarinic receptors, 137
  nitric oxide, 445
  regional response, pig stomach smooth muscle, 37

Nebivolol, stereoisomers, adrenaline action, 429
Neurogenic vasoconstriction, quinpirole, 291
Neuromodulation, histamine, goat cerebral arteries, 25
Neurotoxin, MPTP, rat ganglionic transmission, 15
Neurotransmitter, feedback, rat vas deferens, 165
Nickel, rat aorta contraction, endothelin-1, 237
Nicotine, node conduction, tachyphylaxis, 51
Nitric oxide, autonomic innervation, smooth muscle, 445
Non-adrenergic, peptidergic hypothesis, duodenum rat, 81
Non-chlorinergic, peptidergic hypothesis, duodenum rat, 81
Noradrenaline:
  adrenoceptor, inhibition, rabbit kidney, 97
  artery, contraction, 245
  nebivolol, 429
  regional response, pig stomach smooth muscle, 37
  release, dimethyl sulphoxide induction, 349
  vas deferens, rat, 165
Normotensive, rat, atenolol, perfused mesentery, 89

Optical, isomers, YM-12617, 263

Pertussus toxin, renal artery, noradrenaline release, 97
Phenylephrine, intra-urethral pressure, 263
Pig, regional response, stomach smooth muscle, 37
Pirenzepine, vagal blockade, 359
Potassium, channel openers, rat ventricle, 5
Prazosin, hypertensive rats, 191
Purinergic response, rat vas deferens, 421
Purinoceptor, agonist, contraction inhibition, 299

Quinpirole, neurogenic vasoconstriction, 291

Rabbit:
  acetylcholine induced relaxation, aorta, 253
  adrenoceptor agonists, dobutamine, 117

dobutamine, adrenoceptor agonists, 117
dopamine autoreceptors, 335
5-HT receptors, 321
kidney, noradrenaline release, 97
vas deferens, 421
Rat:
acid secretory response, vagal dependency, 149
adrenoceptors, 73, 125, 191, 389
aorta: endothelin-1, 237; 5-HT inhibition, 223
artery, tail, co-transmitter effects, 245
atenolol, mesentery perfusion, 89
atria, gangliosides, 349
bombesin contractions, bladder, 215
calcium channel agonists, 437
diabetic, streptozotocin, 205
GABA-B receptors, 149
ganglionic transmission, neurotoxin, MPTP, 15
haemodynamics, calcium facilitator, 311
hypertensive, kidney adrenoceptors, 73
mesentery, atenolol, 89
muscarinic: agonist, 61; receptor, 411
peptidergic neurotransmitter in NANC nerves, 81
prazosin, hypertension, 191
purinoceptor agonist, 299
quinpirole, vasoconstriction, kidney, 291
substance P., microvascular leakage, 269
vas deferens, 165, 421
ventricle, K channel openers, Ca^{2++} channel blockers, 5
Receptor:
agonists, tachykinin, 369
bombesin atagonist, 215
cholinergic muscarinic, sheep, 175
GABA-B, 149
5-hydroxytryptamine, 321
number, adreno, streptozotocin-diabetic rats, 205
Ruthenium red, bronchoconstriction, 369

Saclofen, sensitive, GABA-B receptors, 149
Secretory responses, acid, GABA-B receptors, 149
Sheep, cholinergic muscarinic receptors, 175
Stimulation, twin pulse, electrical field, 165
Stomach, regional response, smooth muscle, pig, 37
Streptozotocin, diabetic rat, adrenoceptor, 205
Substance P:
airway reactivity, 403
microvascular leakage, rat bladder, 269
regional response, pig stomach smooth muscle, 37
renal function, 377
Sulphoxide, dimethyl, noradrenaline release, 349

Tachycardia, antimuscarinic agent induction, 359
Tachykinin, receptor agonists, bronchoconstriction, 369
Tachyphylaxis, cardiac nerves to nicotine, 51
Tone, vagal, linear scale for measuring, 109
Toxin, pertussis, noradrenaline release inhibition, rabbit artery, 97
Transport, electrolyte control, kidney, 183

U-50, 488H, interaction with calcium channel agonists, 437
Urethral, intra, pressure, YM-12617, 263
Uterovesical, junction, cholinergic muscarinic receptors, 175

Vagal:
blockade, antimuscarinic agents, 359
dependent, acid secretory response, rat, 149
independent, acid secretory response, rat, 149
tone, linear scale for measuring, 109
Vas deferens, noradrenergic response, rat, 165
Vasoconstriction:
co-transmitters, 245
quinpirole, 291
Vasodilation, muscarinic receptor, 411
Ventricle:
node conduction, nicotine tachyphylaxis, 51
Ca^{2++} channel openers, Ca^{2++} channel blockers, 5

YM-12617, optical isomers, intra-urethral pressure, dog, 263